Statistically Speaking Lecture Series

Sponsored by the Biostatistics Collaboration Center

Meta-Analysis: When You Can Do It, When You Can't, and What Info You Need

Lutfiyya N. Muhammad, PhD, MPH Assistant Professor Department of Preventive Medicine Division of Biostatistics

January 12, 2022 Via Zoom



M Northwestern Medicine[®]

Feinberg School of Medicine

Biostatistics at NU

Biostatistics at NU

Overview

Division of Biostatistics (Chief: Denise Scholtens), Department of Preventive Medicine (Chair: Donald Lloyd-Jones)



Biostatistics Centers and Cores

Overview



M Northwestern Medicine®

Feinberg School of Medicine

Outline



- Background on Systematic Review & Meta-Analysis
- Guidance on Meta-Analysis Process
- Data Extraction Process and Tips
- Common Statistical Methods for a Meta-Analysis
- Reporting Results for a Meta-Analysis
- Summary

M Northwestern Medicine®

Feinberg School of Medicine

Background

Systematic Review & Meta-Analysis

- Systematic Review a <u>reproducible</u> process that reviews and synthesizes information obtained from a collection of available research studies that answer a specific research question
- Meta-Analysis a statistical approach to summarize results from a systematic review
 - A subset of a systematic review
- Many systematic reviews include a meta-analysis, but a meta-analysis is not required for a systematic review
 - Guideline: Synthesis Without Meta-analysis (SWiM)

Pyramid of Levels of Evidence in Biomedical Research



Ahn E, Kang H. Introduction to systematic review and meta-analysis. *Korean J Anesthesiol.* 2018;71(2):103-112.

Morthwestern Medicine* Feinberg School of Medicine

Meta-Analyses & Systematic Reviews from the Top Publishing Countries, 1995 – 2015



Fontelo P, Liu F. A review of recent publication trends from top publishing countries. *Systematic Reviews*. 2018;7(1):147.

Morthwestern Medicine[®] Feinberg School of Medicine **M Northwestern** Medicine[®]

Feinberg School of Medicine

Guidance on Meta-Analysis Process

Guidance on Meta-Analysis Process

- Descriptions of meta-analysis steps can be found through guidelines and tools
- PRISMA- Preferred Reporting Items for Systematic Reviews and Meta-Analyses (Page et al., 2021)
- Tools/Step by Step Guide for biomedical research with/without human participants (Haidich, 2010; Nakagawa, Noble, Senior, & Lagisz, 2017; Tawfik et al., 2019)

Framing Meta-Analysis Research Question/Objective

- Meta-analysis research question and/or objectives should be well-defined and answerable
- It is important that the question and objectives are very specific
 - This helps to ensure that the data from the different studies can be combined
- PICOT Guidance for developing a research question (Riva, Malik, Burnie, Endicott, & Busse, 2012)
 - Population, Intervention, Comparison, Outcome, and Time
- It may be more plausible to use only Population, Outcome, and Time
 - Observational study without an intervention and no comparison groups
- When selecting the **T**ime, take into consideration if there were any health or scientific guideline changes that could impact the methodology used in studies

Example of Research Question/Objective



Systematic Review and Meta-Analysis: Treatment of Substance Use Disorder in Attention Deficit Hyperactivity Disorder

Dimy Fluyau, MD⁰,¹ Neelambika Revadigar, MD,² Christopher G. Pierre, MEd, RN³

¹Psychiatry and Behavioral Sciences, Emory University School of Medicine, Atlanta, Georgia ²Psychiatry and Behavioral Sciences, Columbia University, New York, New York ³Grady Memorial Hospital Corp, Atlanta, Georgia

Background and Objectives: Treating substance use disorder (SUD) in patients with co-occurring attention deficit hyperactivity disorder (ADHD) and SUD may lower medical, psychiatric, and social complications. We conducted a systematic review with metaanalysis to investigate the clinical benefits of pharmacological interventions to treat SUD in patients with ADHD.

Methods: Articles were searched on Cochrane Central Register of Controlled Trials, PubMed, EBSCO, Google Scholar, Embase, Web of Science, and Ovid MEDLINE from 1971 to 2020. Data for SUD treatment as primary study endpoints and ADHD symptoms management as secondary outcomes were synthesized using random-effects model meta-analysis. Studies (N=17) were included. The principal measure of effect size was the standardized mean difference (SMD). PROSPERO registration: CRD42020171646.

INTRODUCTION

The presence of attention deficit hyperactivity disorder (ADHD) not only increases vulnerability to substance use disorder (SUD) but also influences the long-term prognosis and treatment of SUD itself. ADHD is a chronic mental disorder that impacts an individual's biological, psychological, and social aspects. Encountered during childhood, ADHD can also carry onto adulthood.¹ ADHD often co-occurs with other psychiatric disorders and is associated with significant psychosocial complications.² A meta-analysis estimated that the overall prevalence of ADHD in SUD patients was approximately 23% irrespective of age

Fluyau D, Revadigar N, Pierre CG. Systematic Review and Meta-Analysis: Treatment of Substance Use Disorder in Attention Deficit Hyperactivity Disorder. *The American Journal on Addictions*. 2021;30(2):110-121.

Example of Research Question/Objective

Prevalence of co-morbidities and their association with mortality in patients with COVID-19: A systematic review and meta-analysis

Awadhesh K. Singh MD¹ | Clare L. Gillies PhD^{2,3} | Ritu Singh MD¹ | Akriti Singh MBBS⁴ | Yogini Chudasama PhD^{2,3} | Briana Coles MSc² | Sam Seidu MBChB^{2,3} | Francesco Zaccardi PhD^{2,3} | Melanie J. Davies FRCP³ | Kamlesh Khunti FRCGP^{2,3}

¹GD Hospital & Diabetes Institute, Kolkata, India

²Leicester Real World Evidence Unit, Leicester Diabetes Centre, Leicester, UK

³National Institute for Health Research (NIHR) Applied Research Collaboration - East Midlands (ARC-EM), Diabetes Research Centre, Leicester General Hospital, University of Leicester, Leicester, UK

⁴College of Medicine and JNM Hospital, Kalyani, Nadia, West Bengal, India

Correspondence Kamlesh Khunti, Leicester Diabetes Centre,

Abstract

Aim: To estimate the prevalence of both cardiometabolic and other co-morbidities in patients with COVID-19, and to estimate the increased risk of severity of disease and mortality in people with co-morbidities.

Materials and Methods: Medline, Scopus and the World Health Organization website were searched for global research on COVID-19 conducted from January 2019 up to 23 April 2020. Study inclusion was restricted to English language publications, original articles that reported the prevalence of co-morbidities in individuals with COVID-19, and case series including more than 10 patients. Eighteen studies were selected for inclusion. Data were analysed using random effects meta-analysis models.

Singh AK, Gillies CL, Singh R, et al. Prevalence of co-morbidities and their association with mortality in patients with COVID-19: A systematic review and meta-analysis. *Diabetes Obes Metab*. 2020;22(10):1915-1924. doi:10.1111/dom.14124

Inclusion/Exclusion Criteria

- PRISMA checklist states, "Specify the inclusion and exclusion criteria for the review and how studies were grouped for the syntheses." (Page et al., 2021)
 - A meta-analysis of a subset of the collected articles may be appropriate for the research area of interest
- The criteria and plan for grouping the studies should be determined prior extracting data during the systematic review process
 - Screen articles to assist with determining the inclusion and exclusion criteria (Mikolajewicz & Komarova, 2019)
 - Check registered protocols of systematic reviews with a meta-analysis
 - Search the Cochrane Database of Systematic Reviews (CDSR)
- There should be separate set of inclusion/exclusion criteria for each meta-analysis objective

Protocol Registration for a Systematic Review with Meta-Analysis

- It is not required to register the protocol for a systematic review with a metaanalysis
- Registration of the study must occur at the inception/protocol stage of the project
- PROSPERO is a common database for registering a systematic review with a metaanalysis protocol (Tawfik et al., 2020)
 - PROSPERO International Prospective Register of Systematic Reviews
 - For systematic reviews of human and animal studies
- Can search through PROSPERO for overlapping studies
 - Help with deciding to conduct a systematic review/meta-analysis
 - Help with determining inclusion/exclusion criteria

PROSPERO - Registered COVID-19 Systematic Reviews

NIHR National Institute for Health Research

International prospective register of systematic reviews

Home | About PROSPERO | How to register | Service information

Search | Log in | Join

PROSPERO

PROSPERO Covid-19 filters

Click any of the keywords below to search PROSPERO for Covid-19 registrations or click **here** to see all Covid-19 human studies or **here** to see all Covid-19 animal studies.

Click to hide the Covid-19 filters and go back to standard PROSPERO searching



PROSPERO. National Institute of for Health Research.

https://www.crd.york.ac.uk/PROSPERO/#searchadvanced. Accessed January 6, 2022.

Tips for a Comprehensive Database Search

- Decide which dissemination sources are included in your meta-analysis
- Multiple databases should be used to conduct the search
 - Medline, Scopus, Web of Science, etc.
- A comprehensive search includes identifying relevant studies through popular and lesser-known databases
- Consult with an information specialist or librarian while conducting the search
 - They can aid with specific keywords and strings for database searches
- Make sure studies are selected for the appropriate timeframe
- Detailed documentation of the search methodology is required to ensure <u>reproducibility</u>

PRISMA Flow Diagram – Studies via Databases & Registers



Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ. 2021;372:n71.



PRISMA Flow Diagram – Studies via Multiple Sources



Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ. 2021;372:n71.

Morthwestern Medicine* Feinberg School of Medicine

PRISMA Flow Diagram Creation

- Create your own without a template via word document
- Word document templates via PRISMA website
- PRISMA R package and ShinyApp (PRISMA2020)

PRISMA ShinyApp



Morthwestern Medicine[®] Feinberg School of Medicine

PRISMA - Literature Search for Studies



PRISMA 2020 Checklist

Section and Topic	item #	Checklist item	Location where item is reported
TITLE			
Title	1	Identify the report as a systematic review.	
ABSTRACT			
Abstract	2	See the PRISMA 2020 for Abstracts checklist.	
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of existing knowledge.	
Objectives	4	Provide an explicit statement of the objective(s) or question(s) the review addresses.	
METHODS			
Eligibility criteria	5	Specify the inclusion and exclusion criteria for the review and how studies were grouped for the syntheses.	
Information sources	6	Specify all databases, registers, websites, organisations, reference lists and other sources searched or consulted to identify studies. Specify the date when each source was last searched or consulted.	
Search strategy	7	Present the full search strategies for all databases, registers and websites, including any filters and limits used.	
Selection process	8	Specify the methods used to decide whether a study met the inclusion criteria of the review, including how many reviewers screened each record and each report retrieved, whether they worked independently, and if applicable, details of automation tools used in the process.	

M Northwestern Medicine[®]

Feinberg School of Medicine

Data Extraction Process and Tips

Data Extraction Process

- More than one reviewer should be extracting data
 - Make sure the reviewers are familiar with the inclusion/exclusion criteria and the database for the data extraction
- Assess the quality and validity of each study
- Compare reviewer agreement on the validity of each study
 - Detailed documentation on how disagreements were resolved
- Document any missing information that is related to the meta-analysis objectives
- Report details on any use of data extraction automation/scraping tools

Data Extraction Tips – Database

- Create a database for the data extraction prior to collecting the data
 - Create a test database
- Explore the options for creating a database
 - Excel
 - Google Spreadsheets
 - REDCap
 - Systematic Review Data Repository (SRDR)
 - Covidence
 - DistillerSR
 - Joanna Briggs Institute System for the United Management, Assessment and Review of Information (JBI Sumari)

Data Extraction Tips – Database

- At minimum, your database for data extraction will include:
 - Author Names
 - Year of Publication
 - Inclusion/Exclusion Criteria
 - Sample Size
 - Several ways to report sample size Randomized, recruited, by group/arm
 - Be consistent throughout the database
 - Type of study
 - Number of intervention groups, if applicable
 - Quantitative data of the effect size
 - Collected in a uniform format
 - Follow-up data has the same follow-up period
 - Timing of the measurement (Baseline or post intervention/medical procedure)
 - Only include data related to your meta-analysis objectives

Data Extraction Tips – Common Effect Sizes

- Quantitative data of the effect size
 - Means (SDs)
 - Risk Ratios (SEs)
 - Odds Ratios (SEs)
 - Risk Difference (SEs)
 - Hazard Ratios (SEs)
 - Proportions
 - Difference of Proportions
 - Correlations

M Northwestern Medicine[®]

Feinberg School of Medicine

Common Statistical Methods for a Meta-Analysis

Common Statistical Methods for a Meta-Analysis

Statistical Method	Description
Fixed Effect Model	Statistical approach that obtains a weighted average of study estimates. There is an assumption that each study has the same underlying true effect. Larger studies receive a larger weight that smaller studies.
Random Effects Model	Statistical approach that obtains a weighted average of study estimates that assumes each study has varying underlying true effects. This approach takes into consideration the variability between each study.
Meta-Regression	Statistical method that determines the association between explanatory variables and effect estimates.
Subgroup Analysis	A meta-analysis conducted using only a subset of the studies based on a similar characteristic.

Dekkers OM. Meta-analysis: Key features, potentials and misunderstandings. Res Pract Thromb Haemost. 2018;2(4):658-663.

Common Statistical Methods for a Meta-Analysis

Statistical Method	Description
Network Meta-Analysis	Analysis approach for comparing studies with more than two groups.
Cochrane's Q Test	A test that has a null hypothesis that all studies have the same underlying true effect. Rejecting the null hypothesis means that there is evidence of statistical heterogeneity.
I ² Statistic	A measure that captures the degree of heterogeneity among studies that is not due to random chance. I ² is reported as a percentage.

Dekkers OM. Meta-analysis: Key features, potentials and misunderstandings. Res Pract Thromb Haemost. 2018;2(4):658-663.

M Northwestern Medicine[®]

Feinberg School of Medicine

Reporting Results for a Meta-Analysis

Reporting Results – Forest Plot



Dekkers OM. Meta-analysis: Key features, potentials and misunderstandings. *Res Pract Thromb Haemost*. 2018;2(4):658-663.

Reporting Results – Funnel Plot



Ahn E, Kang H. Introduction to systematic review and meta-analysis. Korean J Anesthesiol. 2018;71(2):103-112.

Morthwestern Medicine* Feinberg School of Medicine

M Northwestern Medicine®

Feinberg School of Medicine

Summary



- A meta-analysis is a statistical approach to combine and summarize effects obtained from multiple studies
- <u>The validity of a meta-analysis heavily depends on the validity of the included</u> <u>studies</u>
- Studies included in a meta-analysis must meet the same inclusion and exclusion criteria
- Databases created to extract data collected from studies should be well documented in a uniform way
- There are different statistical methods for a meta-analysis based on if the underlying true effect is the same or not the same across all studies



Ahn E, Kang H. Introduction to systematic review and meta-analysis. *Korean J Anesthesiol.* 2018;71(2):103-112.

Dekkers OM. Meta-analysis: Key features, potentials and misunderstandings. *Res Pract Thromb Haemost*. 2018;2(4):658-663.

Fluyau D, Revadigar N, Pierre CG. Systematic Review and Meta-Analysis: Treatment of Substance Use Disorder in Attention Deficit Hyperactivity Disorder. *The American Journal on Addictions*. 2021;30(2):110-121.

Fontelo P, Liu F. A review of recent publication trends from top publishing countries. *Systematic Reviews*. 2018;7(1):147.

Haidich AB. Meta-analysis in medical research. *Hippokratia*. 2010;14(Suppl 1):29-37.

Mikolajewicz N, Komarova SV. Meta-Analytic Methodology for Basic Research: A Practical Guide. *Frontiers in Physiology.* 2019;10(203).

Nakagawa, S., Noble, D. W. A., Senior, A. M., & Lagisz, M. (2017). Meta-evaluation of meta-analysis: ten appraisal questions for biologists. *BMC Biology*, *15*(1), 18. doi:10.1186/s12915-017-0357-7

References

Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71.

PRISMA2020: R package and ShinyApp for producing PRISMA 2020 compliant flow diagrams (Version 0.0.2) [computer program]. Zenodo; 2021.

PROSPERO. National Institute of for Health Research. https://www.crd.york.ac.uk/PROSPERO/#searchadvanced. Accessed January 6, 2022.

Riva JJ, Malik KMP, Burnie SJ, Endicott AR, Busse JW. What is your research question? An introduction to the PICOT format for clinicians. *J Can Chiropr Assoc.* 2012;56(3):167-171.

Russo MW. How to Review a Meta-analysis. *Gastroenterol Hepatol (N Y)*. 2007;3(8):637-642.

Singh AK, Gillies CL, Singh R, et al. Prevalence of co-morbidities and their association with mortality in patients with COVID-19: A systematic review and meta-analysis. *Diabetes Obes Metab*. 2020;22(10):1915-1924. doi:10.1111/dom.14124

Tawfik GM, Dila KAS, Mohamed MYF, et al. A step by step guide for conducting a systematic review and metaanalysis with simulation data. *Tropical Medicine and Health*. 2019;47(1):46.

Tawfik GM, Giang HTN, Ghozy S, et al. Protocol registration issues of systematic review and meta-analysis studies: a survey of global researchers. *BMC Med Res Methodol.* 2020;20(1):213. M Northwestern Medicine[®] Feinberg School of Medicine

Upcoming *Statistically Speaking* Lectures

Thursday, February 3 12-1pm	Capturing Racial and Ethnic Data and Considerations for Analysis Jody D Ciolino, PhD, Associate Professor, Division of Biostatistics, Department of Preventive Medicine
Thursday, March 3 1-2pm	Considerations when Leveraging Electronic Health Records for Causal Inference: A "Create-Your-Own-Data" Adventure Lucia C Petito, PhD, Assistant Professor, Division of Biostatistics, Department of Preventive Medicine

All lectures will be held via Zoom:

https://northwestern.zoom.us/j/99300239887?pwd=eHJZS1BOM3ZiWW9PN0lpWDYxQXdYQT09

Thank you!



Expertise in biostatistics, statistical programming and data management

Since 2004, the Biostatistics Collaboration Center (BCC) has partnered with Northwestern investigators at every level – from residents and postdoctoral fellows to junior faculty and well-established senior investigators.



Meet Our Team

Our faculty and and health serv across Chicago clinical partner expertise.

OUR PEOPLE

Please note, we have been experiencing a high volume of requests and responses may be delayed. Your patience is appreciated as we work to field requests in as timely a manner as possible!